Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	95	(second adj customer) with (different or "same") with (first adj customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:30
L2	85	(second adj travel\$3) with (different or "same") with (first adj travel\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:48
L3	23178	(storage or device or volume or (mass adj store) or disk) adj (identifier or id or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:48
L4	103	3 and (identifying adj information) and ((customer or traveler) adj (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:39
L5	21	4 and (identifying adj information) with (customer or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:42
L6	4	5 and travel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:43
L7	47	4 and (travel\$4 or flight or airline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:47
L8	9867	(travel\$4 or flight or airline) same (ticket or reservation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:51
L9	330	8 and (storage or device or volume or (mass adj store) or disk) adj (identifier or id or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:48

L10	8	9 and (first and second) adj2 (customer or client or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:52
L011	16741	(travel\$4 or flight or airline) same (ticket or reservation or book\$3 or cruise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:51
L12	7	11 and (first and second) adj2 (customers! or travelers!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:52
L13	77	11 and (first and second) adj2 (customer or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:55
L14	73	13 and (customers! or travelers!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:53
L15	77	11 and (first! and second!) adj2 (customer or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:12
L16	3	15 and (first! and second!) adj2 (identifier or ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:12
L17	8922	(first! and second!) adj2 (identifier or ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:12
L18	58	17 and (first! and second!) adj2 (customer or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:19
L19	157	17 and (first! and second!) adj2 (customer or traveler or entity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:20

L20	109	17 and (first! and second!) adj (customer or traveler or entity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:20
L21	6	20 and first with second! with ("same" adj (customer or traveler or entity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:21
L22	125	first with second! with ("same" adj (customer or traveler or entity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:22
L23	42	22 and ("707"/\$.ccls. or "705"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:22

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	48	("20050246393" or "20050131821" or "20030028548" or "20030004760" or "20030046309" or "20020062241" or "20020026384" or "6941305" or "6523041" or "6363388" or "6236972" or "6298352" or "6035298" or "6029174" or "6009408" or "5966695" or "5853904" or "5826257" or "5794217" or "5701453" or "5634053" or "5570283" or "5499359" or "4823265").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:38
L2	33	1 and (customer or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:41
L3	23	1 and (customer or traveler) and (id or identification or identifier) and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:41
L4	21	1 and (customer or traveler) and (id or identification or identifier) and identify\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:40
L5	1	1 and (disk or storage) adj2 (id or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:41
L6	7475	(customer or traveler) adj2 (id or identification or identifier) and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:41
L7	162	6 and (disk or storage) adj2 (id or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/03/29 11:52
L8	162	7 and (customer or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:41

		EAST Scare	,			
L9	18	8 and ("same" adj (customer or traveler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:50
L10	2	9 and travel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:43
L11 <sub>.</sub>	1805	6 and travel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:44
L12	189	11 and ("same" adj (customer or traveler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:43
L13	37	7 and travel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:44
L14	18	7 and ("same" adj (customer or traveler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:50
L15	<b>71</b>	7 and ("707"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:05
L16	7	15 and (first and second) adj2 (customer or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:02
L17	12	7 and (customer or travel\$6).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:02
L18	61	7 and (customer or travel\$6).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:04

L19	32	18 and ("707"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/03/29 12:05
			IBM_TDB			

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1339	customer adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:47
L2	11	first adj customer adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:54
L3	6	2 and second adj customer adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:55
L4	3	3 and first with second with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:55
L5	7372	customer adj (ID or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:06
L6	26	5 and first adj customer adj (ID or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:56
L7	13	6 and second adj customer adj (ID or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:57
L8	6	7 and first with second with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:55
L9	26	first adj customer adj (ID or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:03

		LAST Scarci	,			
L10	13	9 and second adj customer adj (ID or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:14
L11	838	5 and "same" adj2 customer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:15
L12	71	5 and "same" adj2 customers!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:00
L13	1	12 and first adj customer adj (ID or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:04
L14	0	12 and second adj customer adj (ID or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:04
L15	8	11 and second adj customer adj (ID or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:04
L16	10716	customer adj (ID or identification or identifier or number or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:06
L17	180	16 and (first same second) adj customer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:48
L18	55	17 and "same" adj2 customer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:15
L19	600	16 and (first same second same "same") same customer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:21

		EAST Scarci	· · · · · · · · · · · · · · ·			
L20	109	16 and (first with second with "same") with customer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:31
L21	136	16 and (first adj customer) with (second adj customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:43
L22	6	21 and customer with (identifying adj information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:32
L23	62	1 and (first adj customer) and (second adj customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:43
L24	1343	(traveler or customer) adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:49
L25	0	(traveler and customer) adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:48
L26	62	24 and (first and second) adj (traveler or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:54
L27	46	((traveler or customer) adj identifier) same ((storage or device or disk or volume) adj2 (id or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:53
L28	137	((traveler or customer) adj identifier) and ((storage or device or disk or volume) adj2 (id or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:53
L29	11	28 and (first and second) adj (traveler or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24695	"same" adj2 (customer or identifier or entity or identification or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 09:47
L2	2474	1 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 09:47
L3	812	2 and (customer or identifier or entity or identification or client or identifying) adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 09:48
L4	146	3 and (customer or client) adj (id or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:22
L5	38	4 and (first same second) adj2 (customer or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:24
L6	4	4 and ((first same second) adj2 (customer or client)) same ("same" adj2 (client or customer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(identifying adj information) same (first same second) same ("same" adj2 (customer or client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:39
L2	100	("same" adj2 (customers! or clients1)) and ((customer or client) adj2 (ID or identification or identifier or entity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:39
L3	196	("same" adj2 (customers! or clients!)) and ((customer or client) adj2 (ID or identification or identifier or entity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:52
L4	20	("same" adj2 (customers! or clients!)) and ((customer or client) adj2 (ID or identification or identifier)) and (identifying adj information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:43
L5	8	("same" adj (customers! or clients!)) and ((customer or client) adj2 (ID or identification or identifier)) and (identifying adj information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:49
L6	285	sabre.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:49
L7	9341	6and ("same" adj2 (customer or client or traveler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:52
L8	7	6 and ("same" adj2 (customer or client or traveler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:54
L9	298	("same" near2 (customer or client or traveler)) with ((customer or client or traveler) adj (id or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:06

L10	119	9 and ("707"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:09
L11	31	("same" near2 (customer or traveler)) adj20 ((customer or traveler) adj (id or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:08
L12	605	("same" adj (customer or traveler)) and ((customer or traveler) adj (id or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:08
L13	54	12 and (first and second) adj2 (customer or traveler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:09
L14	33	13 and ("707"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:09